




ALL INDIA INSTITUTE OF MEDICAL SCIENCES, PATNA

OFFICE OF THE SUPERINTENDING ENGINEER

PROJECT CELL (PMSSY), AIIMS PATNA

PHULWARISHARIF, PATNA -801507

Phone No. 0612-2451114, Email: ceaiimspatna@gmail.com



AIIMS/Pat/SE/CIVIL/2019 -20/

28 Aug 2019
26/8/2019

JI

NOTICE INVITING QUOTATIONS

Sealed quotations are invited from contractors / Firms having experience in supplying of SS door / Carrying out similar works for Providing and fixing of Metallic Door and ABS Door with frame in Mortuary Block, as per drawing attached.

The estimated cost in 5,47,535.00 the quotation documents can be downloaded from website: www.aiimspatna.org

Sealed quotation duly filled up along with earnest money 11000/- in the form of DD/ Cheque in favour of Director AIIMS Patna.

The quotation is to be submitted to the office of Superintending Engineer AIIMS Patna within 07 (Seven) days from date of publishing quotation.

Last Date of submitting the quotations: 06.09.2019 Up to 03:00 PM

Date of opening the quotations 09.09.2019 at 12:30 PM

S. No.	Description	Unit	Qty	Basic Rates (Rs.)	GST in (%)	Total Amount (including GST) (Rs.)
1	Providing and fixing of metal scientific door with frame made up of 16 g or better SS- 304 sheet, with dorma ball bearing SS 304 grade hinges, dorma door closer in each shutter (TS – 60with STD arm), dorma “D” handle in each shutter (300X22mm SS), dorma concealed flush bolt, dorma dead bolt both side Key operated cylinder 70mm, dorma wall mounted stopper for each door shutter, 5mm clear glass on tip fixed part, with fabrication, transportation and installation all complete.	SQM	30			
	Providing and fixing of NCL ABS double shutter door with frame having approx. size (2400 mmX 2100 mm) with special butterfly hinges (SS – 304 grade) – 6 nos, special lock of Europa – 1 nos, dorma door closer TS – 68 with STD arm 2 nos, dorma wall mounted stopper – 2 nos , with Dorma handle – 300X 22 mm, SS -304 grade – 2 nos all complete.	Each	03			
	Total Amount					
	Total amount in words					

Terms & Conditions:-

1. The rates are to be quoted in words and figures including all taxes transportation etc.
2. Document relating to registration of firm i.e. GST no, PAN no, bank details & other relevant document should be submitted along with quotation.
3. The work shall be executed as per direction of the Engineer-in-Charge.

4. 70% of basic rates of Doors shall be paid on supply of the material at site and the final payment shall be made after successful completion of the work.
5. Work should be completed within 45 days from the date of issue of work order.
6. EMD – 11000/- in the form DD/Cheque in the favour of AIIMS Patna shall be submitted with Quotation.
7. 5% security deposit will be withheld from his first RA bill and shall be released after completion of warranty period.
8. In case the agency does not start the work within 15 days of issue of the work order then the entire amount of EMD shall be forfeited by AIIMS Patna without any notice.
9. 24 months warranty period from the date of completion of the satisfactory installation.
10. Quotation Name/No. and due date of opening must be mentioned on top of envelopes.
11. AIIMS Patna reserve the right to accept or reject any or all quotations without assigning any reason there of and also does not bind itself to accepted the lowest quotation. AIIMS Patna also reserves the rights to accept all the item in the given NIQ or only part of it in given schedule without assigning any reason.

Superintending Engineer
AIIMS Patna



Technical Specification Sheet

TYPE: METAL SCIENTIFIC DOORS

MATERIAL

Door frames (Conform to IS4351: 2003) and leaves are made from skin pass galvanized iron sheet (Conform to IS 277)

DOOR LEAVES

Constructed from 0.80mm (22 SWG) thick skin pass galvanized Iron Sheet (Conform to IS 277) formed to provide a 46mm thick fully flush, double skin door shell with lock seam joints at stile edges. In –full of honeycomb Kraft paper is used to give the required rigidity and effective acoustic insulation.

DOOR FRAMES

Construction from 1.2mm (18SWG) thick Skin pass Galvanized Iron Sheet (Conform to IS 277) formed to single rebate profile of size 100 mm X 58mm.

The Door frames may be built into the brick or block walls using corrugated “TEE” anchors not welded to the Frames ((First fix). Frames may also be fixed on plastered openings with the help of Anchor fasteners (Second Fix). Door frames are supplied to knockdown/welded form with butt joints for Bolted Assembly at site.

FINISH

The door frames and door shutters are finished with thermosetting polyurethane paint of aliphatic Grade providing high levels of scratch resistance and durability which is also of anti- static quality/ Epoxy polyester/ Pure polyester/ Polyurethane powder for powder coating of thickness 60 – 65 Microns (Dry film Thickness)

HARDWARE & IRONMONGERY

HINGES: Stainless Steel Ball Bearing Butt Hinges, 4”x3”x2.5mm, Dorma make.

LOCK

Mortise Sash Lock with Lever Handles, Mortise Dead bolt, Mortise Latch, Panic Devices etc. can be provided as required. Make will be DORMA.

FLUSH BOLTS (DOUBLE DOOR)



Concealed extended lever action flush bolts provided on the top of the door to the leading stile edge.

DOOR CLOSERS:


Doors are made suitable to receive a large variety of Door Closers. Make: Dorma. Model TS 68 with Sd. Arm.

Stopper: Wall mounted door stopper from DORMA

OK



14



13